

| SYMBOL | MAP UNIT NAME | Conversion | K VALUE | T VALUE | MIN SLOPE | MAX SLOPE | LOW LS | HIGH LS | MIN LS | HEL CLASS |
|--------|---|-------------------|------------|------------|--------------|--------------|-----------|------------|-----------|--------------|
| Al | Almo silt loam | | 0.49 | 3 | 0.0% | 2.0% | 0.060 | 0.247 | 0.163 | NHEL |
| Ba | Beason silt loam | | 0.37 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.360 | NHEL |
| BdD | Bodine cherty silt loam | | 0.28 | 5 | 5.0% | 12.0% | 0.379 | 2.570 | 0.476 | HEL |
| BdF | Bodine cherty silt loam | | 0.28 | 5 | 12.0% | 35.0% | 1.285 | 15.468 | 0.476 | HEL |
| BeF | Bodine-Guin complex | Bodine | 0.28 | 5 | 20.0% | 35.0% | 2.948 | 15.468 | 0.476 | HEL |
| BFC | Boswell fine sandy loam | | 0.28 | 5 | 2.0% | 8.0% | 0.163 | 1.406 | 0.476 | PHEL |
| BFD | Boswell fine sandy loam | | 0.28 | 5 | 8.0% | 12.0% | 0.703 | 2.570 | 0.476 | HEL |
| BoC3 | Boswell silty clay, severely eroded | | 0.32 | 5 | 2.0% | 8.0% | 0.163 | 1.406 | 0.417 | PHEL |
| BoD3 | Boswell silty clay, severely eroded | | 0.32 | 5 | 8.0% | 12.0% | 0.703 | 2.570 | 0.417 | HEL |
| BpE2 | Boswell soils eroded | | 0.32 | 5 | 12.0% | 25.0% | 1.285 | 8.626 | 0.417 | HEL |
| BrC | Brandon silt loam | | 0.37 | 3 | 5.0% | 8.0% | 0.379 | 1.406 | 0.216 | HEL |
| Brd | Brandon silt loam | | 0.37 | 3 | 8.0% | 12.0% | 0.703 | 2.570 | 0.216 | HEL |
| Bu | Bruno loamy fine sand | | 0.15 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.889 | NHEL |
| CaA | Captina silt loam | Paden | 0.43 | 3 | 0.0% | 2.0% | 0.060 | 0.247 | 0.186 | NHEL |
| CaB2 | Captina silt loam, eroded | Paden | 0.43 | 3 | 2.0% | 5.0% | 0.163 | 0.757 | 0.186 | HEL |
| CbB3 | Captina silty clay loam, severely eroded | Paden | 0.43 | 3 | 2.0% | 8.0% | 0.163 | 1.406 | 0.186 | HEL |
| CcD | Colbert silty clay loam | Barfield | 0.24 | 1 | 5.0% | 12.0% | 0.379 | 2.570 | 0.111 | HEL |
| CcE | Colbert silty clay loam | Barfield | 0.24 | 1 | 12.0% | 25.0% | 1.285 | 8.626 | 0.111 | HEL |
| CdE | Colbert-Talbott very rocky clays | Barfield | 0.17 | 1 | 8.0% | 25.0% | 0.703 | 8.626 | 0.157 | HEL |
| CeE | Colbert-Talbott very rocky silty clay loams | Barfield | 0.17 | 1 | 8.0% | 25.0% | 0.703 | 8.626 | 0.157 | HEL |
| Cf | Collins fine sandy loam | | 0.28 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.476 | NHEL |
| Cg | Collins loam, local alluvium | | 0.43 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.310 | NHEL |
| Ch | Collins silt loam | | 0.43 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.310 | NHEL |
| CKD | Culleoka silt loam | | 0.32 | 3 | 5.0% | 12.0% | 0.379 | 2.570 | 0.250 | HEL |
| CKF | Culleoka silt loam | | 0.32 | 3 | 12.0% | 25.0% | 1.285 | 8.626 | 0.250 | HEL |
| CnE | Cuthbert fine sandy loam | Luverne | 0.24 | 4 | 12.0% | 25.0% | 1.285 | 8.626 | 0.444 | HEL |
| CnF | Cuthbert fine sandy loam | Luverne | 0.24 | 4 | 25.0% | 35.0% | 4.313 | 15.468 | 0.444 | HEL |
| CrF | Cuthbert-Ruston complex | Luverne-Smithdale | | | | | | | | |
| | | Luverne part | 0.24 | 4 | 12.0% | 25.0% | 1.285 | 8.626 | 0.444 | HEL |
| | | Smithdale part | 0.28 | 5 | 12.0% | 25.0% | 1.285 | 8.626 | 0.476 | HEL |
| CsD | Cuthbert and Susquehanna soils | | | | | | | | | |
| | | Luverne part | 0.28 | 4 | 5.0% | 12.0% | 0.379 | 2.570 | 0.381 | HEL |
| | | Susquehanna part | 0.28 | 5 | 5.0% | 12.0% | 0.379 | 2.570 | 0.476 | HEL |
| DaD | Dandridge-Needmore complex | Sulphura | 0.24 | 2 | 12.0% | 25.0% | 1.285 | 8.626 | 0.222 | HEL |
| DaF | Dandridge-Needmore complex | Sulphura | 0.24 | 2 | 8.0% | 12.0% | 0.703 | 2.570 | 0.222 | HEL |
| DcB3 | Dexter clay loam severely eroded | | 0.32 | 5 | 2.0% | 5.0% | 0.163 | 0.757 | 0.417 | PHEL |
| DcC3 | Dexter clay loam severely eroded | | 0.32 | 5 | 5.0% | 8.0% | 0.379 | 1.406 | 0.417 | HEL |
| DcD3 | Dexter clay loam severely eroded | | 0.32 | 5 | 8.0% | 12.0% | 0.703 | 2.570 | 0.417 | HEL |
| DeB2 | Dexter loam, eroded | | 0.43 | 5 | 2.0% | 5.0% | 0.163 | 0.757 | 0.310 | PHEL |
| DeC2 | Dexter loam, eroded | | 0.43 | 5 | 5.0% | 8.0% | 0.379 | 1.406 | 0.310 | HEL |
| DeD | Dexter loam | | 0.43 | 5 | 8.0% | 12.0% | 0.703 | 2.570 | 0.310 | HEL |
| DkB | Dulac silt loam | | 0.49 | 3 | 2.0% | 5.0% | 0.163 | 0.757 | 0.163 | HEL |
| DkB2 | Dulac silt loam, eroded | | 0.49 | 3 | 2.0% | 5.0% | 0.163 | 0.757 | 0.163 | HEL |
| DkB3 | Dulac silt loam, severely eroded | | 0.49 | 3 | 2.0% | 5.0% | 0.163 | 0.757 | 0.163 | HEL |
| DkC | Dulac silt loam | | 0.49 | 3 | 5.0% | 8.0% | 0.379 | 1.406 | 0.163 | HEL |
| DkC3 | Dulac silt loam, severely eroded | | 0.49 | 3 | 5.0% | 8.0% | 0.379 | 1.406 | 0.163 | HEL |
| Du | Dunning silty clay loam | | 0.32 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.417 | NHEL |
| Ea | Egan silty clay loam | | 0.32 | 5 | 0.0% | 3.0% | 0.060 | 0.353 | 0.417 | NHEL |

| | | | | | | | | | | |
|------|--|------------|------|---|-------|-------|-------|-------|-------|------|
| Ec | Ennis cherty silt loam | | 0.28 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.476 | NHEL |
| Ee | Ennis cherty silt loam, local alluvium | | 0.28 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.476 | NHEL |
| Ef | Ennis fine sandy loam | Pruittton | 0.37 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.360 | NHEL |
| En | Ennis silt loam | Pruittton | 0.37 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.360 | NHEL |
| En | Ennis silt loam, local alluvium | Pruittton | 0.37 | 5 | 1.0% | 3.0% | 0.105 | 0.353 | 0.360 | NHEL |
| EtC3 | Etowah gravelly silty clay loam, severely eroded | | 0.32 | 5 | 5.0% | 8.0% | 0.379 | 1.406 | 0.417 | HEL |
| EtD3 | Etowah gravelly silty clay loam, severely eroded | | 0.32 | 5 | 8.0% | 12.0% | 0.703 | 2.570 | 0.417 | HEL |
| Fa | Falaya silt loam, local alluvium | Enville | 0.37 | 5 | 1.0% | 3.0% | 0.105 | 0.353 | 0.360 | NHEL |
| Fm | Falaya silt loam | | 0.49 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.272 | NHEL |
| FrB2 | Freeland loam, eroded | | 0.49 | 3 | 2.0% | 5.0% | 0.163 | 0.757 | 0.163 | HEL |
| FrB3 | Freeland loam, severely eroded | | 0.49 | 3 | 2.0% | 5.0% | 0.163 | 0.757 | 0.163 | HEL |
| FrC2 | Freeland loam, eroded | | 0.49 | 3 | 5.0% | 8.0% | 0.379 | 1.406 | 0.163 | HEL |
| FrC3 | Freeland loam, severely eroded | | 0.49 | 3 | 5.0% | 8.0% | 0.379 | 1.406 | 0.163 | HEL |
| Ga | Gravelly alluvial land | | | | | | | | | NHEL |
| Gc | Gullied land, clayey materials | | | | | | | | | HEL |
| Gm | Gullied land, loamy materials | | | | | | | | | HEL |
| Gs | Gullied land, sandy materials | | | | | | | | | HEL |
| Ha | Hatchie loam | | 0.49 | 3 | 1.0% | 3.0% | 0.105 | 0.353 | 0.163 | HEL |
| HcB2 | Humphreys cherty silt loam, eroded | | 0.28 | 5 | 2.0% | 5.0% | 0.163 | 0.757 | 0.476 | NHEL |
| HmB2 | Humphreys silt loam, eroded | Sequatchie | 0.24 | 5 | 2.0% | 5.0% | 0.163 | 0.757 | 0.556 | NHEL |
| Hn | Huntington fine sandy loam | Pruittton | 0.37 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.360 | NHEL |
| Hu | Huntington silt loam | Pruittton | 0.37 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.360 | NHEL |
| LaD2 | Landisburg cherty silt loam, eroded | Tasso | 0.32 | 4 | 5.0% | 12.0% | 0.379 | 2.570 | 0.333 | HEL |
| LaE | Landisburg cherty silt loam | Tasso | 0.32 | 4 | 12.0% | 20.0% | 1.285 | 5.897 | 0.333 | HEL |
| LcD3 | Landisburg cherty silty clay loam, severely eroded | Tasso | 0.32 | 4 | 5.0% | 12.0% | 0.379 | 2.570 | 0.333 | HEL |
| Le | Lee cherty silt loam | | 0.28 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.476 | NHEL |
| Lm | Lee silt loam | | 0.28 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.476 | NHEL |
| Ln | Lindside silt loam | | 0.32 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.417 | NHEL |
| Ls | Lindside silty clay loam | | 0.32 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.417 | NHEL |
| Lt | Lobelville cherty silt loam | | 0.37 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.360 | NHEL |
| Lv | Lobelville silt loam | | 0.28 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.476 | NHEL |
| MaC | Magnolia fine sandy loam | Smithdale | 0.28 | 5 | 5.0% | 8.0% | 0.379 | 1.406 | 0.476 | HEL |
| MaD | Magnolia fine sandy loam | Smithdale | 0.28 | 5 | 8.0% | 12.0% | 0.703 | 2.570 | 0.476 | HEL |
| MaE | Magnolia fine sandy loam | Smithdale | 0.28 | 5 | 12.0% | 25.0% | 1.285 | 8.626 | 0.476 | HEL |
| Mc | Mantachie fine sandy loam | | 0.37 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.360 | NHEL |
| Me | Melvin and Newark silt loams | Melvin | 0.43 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.310 | NHEL |
| MhD | Minvale cherty silt loam | | 0.28 | 5 | 5.0% | 12.0% | 0.379 | 2.570 | 0.476 | HEL |
| MhE | Minvale cherty silt loam | | 0.28 | 5 | 12.0% | 25.0% | 1.285 | 8.626 | 0.476 | HEL |
| MnD3 | Minvale cherty silty clay loam, severely eroded | | 0.28 | 5 | 5.0% | 12.0% | 0.379 | 2.570 | 0.476 | HEL |
| MnE3 | Minvale cherty silty clay loam, severely eroded | | 0.28 | 5 | 12.0% | 25.0% | 1.285 | 8.626 | 0.476 | HEL |
| MoC | Mountview silt loam | | 0.43 | 5 | 5.0% | 8.0% | 0.379 | 1.406 | 0.310 | HEL |
| PaB | Paden silt loam | | 0.43 | 3 | 2.0% | 5.0% | 0.163 | 0.757 | 0.186 | HEL |
| PaB2 | Paden silt loam, eroded | | 0.43 | 3 | 2.0% | 5.0% | 0.163 | 0.757 | 0.186 | HEL |
| PaB3 | Paden silt loam, severely eroded | | 0.43 | 3 | 2.0% | 5.0% | 0.163 | 0.757 | 0.186 | HEL |
| PaC | Paden silt loam | | 0.43 | 3 | 5.0% | 8.0% | 0.379 | 1.406 | 0.186 | HEL |
| PaC2 | Paden silt loam, eroded | | 0.43 | 3 | 5.0% | 8.0% | 0.379 | 1.406 | 0.186 | HEL |
| PaC3 | Paden silt loam, severely eroded | | 0.43 | 3 | 5.0% | 8.0% | 0.379 | 1.406 | 0.186 | HEL |
| Pc | Paden-gullied land complex | | 0.43 | 3 | 5.0% | 12.0% | 0.379 | 2.570 | 0.186 | HEL |
| PkB | Pickwick silt loam | | 0.43 | 5 | 2.0% | 5.0% | 0.163 | 0.757 | 0.310 | PHEL |
| PkB2 | Pickwick silt loam, eroded | | 0.43 | 5 | 2.0% | 5.0% | 0.163 | 0.757 | 0.310 | PHEL |
| PkC | Pickwick silt loam | | 0.43 | 5 | 5.0% | 8.0% | 0.379 | 1.406 | 0.310 | HEL |
| PkC2 | Pickwick silt loam, eroded | | 0.43 | 5 | 5.0% | 8.0% | 0.379 | 1.406 | 0.310 | HEL |
| PkD | Pickwick silt loam | | 0.43 | 5 | 8.0% | 12.0% | 0.703 | 2.570 | 0.310 | HEL |
| PkE | Pickwick silt loam | | 0.43 | 5 | 12.0% | 25.0% | 1.295 | 8.626 | 0.310 | HEL |

| | | | | | | | | | | |
|------|--|-------------|------|---|-------|-------|-------|--------|-------|------|
| PnB3 | Pickwick silty clay loam, severely eroded | | 0.37 | 5 | 2.0% | 5.0% | 0.163 | 0.757 | 0.360 | PHEL |
| PnC3 | Pickwick silty clay loam, severely eroded | | 0.37 | 5 | 5.0% | 8.0% | 0.379 | 1.406 | 0.360 | HEL |
| PnD3 | Pickwick silty clay loam, severely eroded | | 0.37 | 5 | 8.0% | 12.0% | 0.703 | 2.570 | 0.360 | HEL |
| PnE3 | Pickwick silty clay loam, severely eroded | | 0.37 | 5 | 12.0% | 25.0% | 1.285 | 8.626 | 0.360 | HEL |
| Px | Pickwick-gullied land complex | | 0.37 | 5 | 5.0% | 20.0% | 0.379 | 5.897 | 0.360 | HEL |
| Rb | Robertsville silt loam | | 0.43 | 3 | 0.0% | 2.0% | 0.060 | 0.247 | 0.186 | NHEL |
| Rc | Rockland | Garfield | 0.24 | 1 | 12.0% | 50.0% | 1.285 | 28.690 | 0.111 | HEL |
| RfC | Ruston fine sandy loam | Smithdale | 0.28 | 5 | 5.0% | 8.0% | 0.379 | 1.406 | 0.476 | HEL |
| RfD | Ruston fine sandy loam | Smithdale | 0.28 | 5 | 8.0% | 12.0% | 0.703 | 2.570 | 0.476 | HEL |
| RfE | Ruston fine sandy loam | Smithdale | 0.28 | 5 | 12.0% | 25.0% | 1.285 | 8.626 | 0.476 | HEL |
| RfF | Ruston fine sandy loam | Smithdale | 0.28 | 5 | 25.0% | 45.0% | 4.313 | 23.940 | 0.476 | HEL |
| RuD3 | Ruston sandy clay loam, severely eroded | Smithdale | 0.24 | 5 | 8.0% | 12.0% | 0.703 | 2.570 | 0.556 | HEL |
| RuE3 | Ruston sandy clay loam, severely eroded | Smithdale | 0.24 | 5 | 12.0% | 25.0% | 1.285 | 8.626 | 0.556 | HEL |
| SaD | Saffell gravelly sandy loam | | 0.2 | 4 | 5.0% | 12.0% | 0.379 | 2.570 | 0.533 | HEL |
| SaE | Saffell gravelly sandy loam | | 0.2 | 4 | 12.0% | 20.0% | 1.285 | 5.897 | 0.533 | HEL |
| ScA | Sequatchie fine sandy loam | | 0.24 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.556 | NHEL |
| ScB2 | Sequatchie fine sandy loam, eroded | | 0.24 | 5 | 2.0% | 5.0% | 0.163 | 0.757 | 0.556 | NHEL |
| SeC3 | Sequatchie loam, severely eroded | | 0.24 | 5 | 2.0% | 8.0% | 0.163 | 1.406 | 0.556 | PHEL |
| ShC3 | Shubuta clay loam, severely eroded | | 0.28 | 5 | 5.0% | 8.0% | 0.379 | 1.406 | 0.476 | HEL |
| ShD3 | Shubuta clay loam, severely eroded | | 0.28 | 5 | 8.0% | 12.0% | 0.703 | 2.570 | 0.476 | HEL |
| ShE3 | Shubuta clay loam, severely eroded | Luvorne | 0.28 | 4 | 12.0% | 25.0% | 1.285 | 8.626 | 0.381 | HEL |
| SmC | Shubuta fine sandy loam | | 0.28 | 5 | 5.0% | 8.0% | 0.379 | 1.406 | 0.476 | HEL |
| SmC2 | Shubuta fine sandy loam, eroded | | 0.28 | 5 | 5.0% | 8.0% | 0.379 | 1.406 | 0.476 | HEL |
| SmD | Shubuta fine sandy loam | | 0.28 | 5 | 8.0% | 12.0% | 0.703 | 2.570 | 0.476 | HEL |
| SmE | Shubuta fine sandy loam | Luvorne | 0.28 | 4 | 12.0% | 25.0% | 1.285 | 8.626 | 0.381 | HEL |
| SmF | Shubuta fine sandy loam | Luvorne | 0.28 | 4 | 25.0% | 45.0% | 4.313 | 23.940 | 0.381 | HEL |
| Sp | Shubuta-gullied land complex | Luvorne | 0.28 | 4 | 10.0% | 25.0% | 0.973 | 8.626 | 0.381 | HEL |
| SrB | Silerton silt loam | | 0.49 | 5 | 2.0% | 5.0% | 0.163 | 0.757 | 0.272 | PHEL |
| SrB2 | Silerton silt loam | | 0.49 | 5 | 2.0% | 5.0% | 0.163 | 0.757 | 0.272 | PHEL |
| SrC | Silerton silt loam | | 0.49 | 5 | 5.0% | 8.0% | 0.379 | 1.406 | 0.272 | HEL |
| SrC2 | Silerton silt loam | | 0.49 | 5 | 5.0% | 8.0% | 0.379 | 1.406 | 0.272 | HEL |
| SrD | Silerton silt loam | | 0.49 | 5 | 8.0% | 12.0% | 0.703 | 2.570 | 0.272 | HEL |
| SsB3 | Silerton silty clay loam | | 0.43 | 5 | 2.0% | 5.0% | 0.163 | 0.757 | 0.310 | PHEL |
| SsC3 | Silerton silty clay loam | | 0.43 | 5 | 5.0% | 8.0% | 0.379 | 1.406 | 0.310 | HEL |
| SsD3 | Silerton silty clay loam | | 0.43 | 5 | 8.0% | 12.0% | 0.703 | 2.570 | 0.310 | HEL |
| SuB2 | Sumter silty clay, eroded | | 0.37 | 2 | 5.0% | 12.0% | 0.379 | 2.570 | 0.144 | HEL |
| SuF2 | Sumter silty clay, eroded | | 0.37 | 2 | 12.0% | 35.0% | 1.285 | 15.468 | 0.144 | HEL |
| Sh | Shamp | Rosebloom | 0.43 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.310 | NHEL |
| Ta | Taft silt loam | | 0.43 | 3 | 0.0% | 2.0% | 0.060 | 0.247 | 0.186 | NHEL |
| TbD | Talbott cherty silt loam | Braxton | 0.32 | 5 | 5.0% | 12.0% | 0.379 | 2.570 | 0.417 | HEL |
| TbE | Talbott cherty silt loam | Braxton | 0.28 | 5 | 12.0% | 25.0% | 1.285 | 8.626 | 0.476 | HEL |
| TbF | Talbott cherty silt loam | Braxton | 0.28 | 5 | 25.0% | 35.0% | 4.313 | 15.468 | 0.476 | HEL |
| TcD3 | Talbott cherty silty clay, severely eroded | Braxton | 0.28 | 5 | 5.0% | 12.0% | 0.379 | 2.570 | 0.476 | HEL |
| TcE3 | Talbott cherty silty clay, severely eroded | Braxton | 0.28 | 5 | 12.0% | 25.0% | 1.285 | 8.626 | 0.476 | HEL |
| TsB | Talbott silt loam | Braxton | 0.32 | 5 | 2.0% | 5.0% | 0.163 | 0.757 | 0.417 | NHEL |
| TsC | Talbott silt loam | Braxton | 0.32 | 5 | 5.0% | 8.0% | 0.379 | 1.406 | 0.417 | HEL |
| TsD | Talbott silt loam | Braxton | 0.32 | 5 | 8.0% | 12.0% | 0.703 | 2.570 | 0.417 | HEL |
| TsE | Talbott silt loam | Braxton | 0.32 | 5 | 12.0% | 25.0% | 1.285 | 8.626 | 0.417 | HEL |
| TtC3 | Talbott silty clay, severely eroded | Braxton | 0.32 | 5 | 5.0% | 8.0% | 0.379 | 1.406 | 0.417 | HEL |
| TtE3 | Talbott silty clay, severely eroded | Braxton | 0.32 | 5 | 8.0% | 12.0% | 0.703 | 2.570 | 0.417 | HEL |
| Vb | Vicksburg loam | Ochlockonee | 0.24 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.556 | NHEL |
| Vc | Vicksburg loam, local alluvium | Ochlockonee | 0.24 | 5 | 1.0% | 3.0% | 0.105 | 0.353 | 0.556 | NHEL |
| Wa | Waverly fine sandy loam | Bibb | 0.2 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.667 | NHEL |
| Wb | Waverly silt loam | | 0.43 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.310 | NHEL |

| | | | | | | | | | | |
|------|--|---------|------|---|-------|-------|-------|--------|-------|------|
| WcB3 | Waynesboro clay loam, severely eroded | Etowah | 0.32 | 5 | 2.0% | 5.0% | 0.163 | 0.757 | 0.417 | NHEL |
| HcC3 | Waynesboro clay loam, severely eroded | Etowah | 0.32 | 5 | 5.0% | 8.0% | 0.379 | 1.406 | 0.417 | HEL |
| WcD3 | Waynesboro clay loam, severely eroded | Etowah | 0.32 | 5 | 8.0% | 12.0% | 0.703 | 2.570 | 0.417 | HEL |
| WcF3 | Waynesboro clay loam, severely eroded | Etowah | 0.32 | 5 | 12.0% | 25.0% | 1.285 | 8.626 | 0.417 | HEL |
| WFB | Waynesboro fine sandy loam | Etowah | 0.37 | 5 | 2.0% | 5.0% | 0.163 | 0.757 | 0.360 | PHEL |
| WFC | Waynesboro fine sandy loam | Etowah | 0.37 | 5 | 5.0% | 8.0% | 0.379 | 1.406 | 0.360 | HEL |
| WFD | Waynesboro fine sandy loam | Etowah | 0.37 | 5 | 8.0% | 12.0% | 0.703 | 2.570 | 0.360 | HEL |
| WFF | Waynesboro fine sandy loam | Etowah | 0.37 | 5 | 12.0% | 25.0% | 1.285 | 8.626 | 0.360 | HEL |
| HgD3 | Waynesboro gravelly clay loam, severely eroded | Etowah | 0.32 | 5 | 5.0% | 12.0% | 0.379 | 2.570 | 0.417 | HEL |
| HgE3 | Waynesboro gravelly clay loam, severely eroded | Etowah | 0.32 | 5 | 12.0% | 25.0% | 1.285 | 8.626 | 0.417 | HEL |
| WnC | Waynesboro gravelly sandy loam | Saffell | 0.2 | 4 | 5.0% | 8.0% | 0.379 | 1.406 | 0.533 | HEL |
| WnD | Waynesboro gravelly sandy loam | Saffell | 0.2 | 4 | 8.0% | 12.0% | 0.703 | 2.570 | 0.533 | HEL |
| WnE | Waynesboro gravelly sandy loam | Saffell | 0.2 | 4 | 12.0% | 25.0% | 1.285 | 8.626 | 0.533 | HEL |
| WnD | Waynesboro very gravelly sandy loam | Saffell | 0.2 | 4 | 5.0% | 12.0% | 0.379 | 2.570 | 0.533 | HEL |
| WnE | Waynesboro very gravelly sandy loam | Saffell | 0.2 | 4 | 12.0% | 25.0% | 1.285 | 8.626 | 0.533 | HEL |
| WnF | Waynesboro very gravelly sandy loam | Saffell | 0.2 | 4 | 25.0% | 45.0% | 4.313 | 23.940 | 0.533 | HEL |
| HoA | Wolftever silt loam | | 0.37 | 5 | 0.0% | 2.0% | 0.060 | 0.247 | 0.360 | NHEL |
| HoB | Wolftever silt loam | | 0.37 | 5 | 2.0% | 5.0% | 0.163 | 0.757 | 0.360 | PHEL |
| HoB2 | Wolftever silt loam, eroded | | 0.37 | 5 | 2.0% | 5.0% | 0.163 | 0.757 | 0.360 | PHEL |
| WvB3 | Wolftever silty clay loam, severely eroded | | 0.37 | 5 | 2.0% | 5.0% | 0.163 | 0.757 | 0.360 | PHEL |
| WvC3 | Wolftever silty clay loam, severely eroded | | 0.37 | 5 | 5.0% | 10.0% | 0.379 | 1.946 | 0.360 | HEL |